

CONFIDENTIAL SEXUALLY TRANSMITTED DISEASE CASE REPORT
Report STDs within three work days (WAC 246-101-101/301)

PATIENT INFORMATION					
LAST NAME		FIRST NAME		MIDDLE INITIAL	
ADDRESS		CITY	STATE	ZIP CODE	
DATE OF BIRTH		TELEPHONE		EMAIL	
MO	DAY	YR	()		
SEX		ETHNICITY		RACE (Check all that apply)	
<input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Transgendered Male to Female <input type="checkbox"/> Transgendered Female to Male		<input type="checkbox"/> Hispanic <input type="checkbox"/> Non-Hispanic <input type="checkbox"/> Unknown		<input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> American Indian/Alaskan Native <input type="checkbox"/> Native Hawaiian/Other Pacific Islander <input type="checkbox"/> Asian <input type="checkbox"/> Other <input type="checkbox"/> Unknown	
GENDER OF SEX PARTNERS					
<input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Both <input type="checkbox"/> Unknown					
If Female, PREGNANT?		REASON FOR EXAM (Check one)		HIV TESTED AT THIS VISIT?*	
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Symptomatic <input type="checkbox"/> Routine Exam – No Symptoms <input type="checkbox"/> Exposed to Infection		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Previous Positive	
DATE OF DIAGNOSIS		*If newly HIV positive, complete and submit the HIV/AIDS Case Report			
MO	DAY	YR			
DIAGNOSIS – DISEASE					
GONORRHEA (lab confirmed)			SYPHILIS		
DIAGNOSIS - ✓ only one <input type="checkbox"/> Asymptomatic <input type="checkbox"/> Symptomatic-Uncomplicated <input type="checkbox"/> Pelvic Inflammatory Disease <input type="checkbox"/> Ophthalmia <input type="checkbox"/> Disseminated <input type="checkbox"/> Other Complications: _____			DIAGNOSIS - ✓ only one <input type="checkbox"/> Primary (Chancere, etc.) <input type="checkbox"/> Secondary (Rash, etc.) <input type="checkbox"/> Early Latent (<1 yr) <input type="checkbox"/> Late Latent (>1 yr) <input type="checkbox"/> Late (with symptoms) <input type="checkbox"/> Congenital <input type="checkbox"/> Also Neurosyphilis		
SITE(S) - ✓ all that apply <input type="checkbox"/> Cervix <input type="checkbox"/> Urethra <input type="checkbox"/> Urine <input type="checkbox"/> Rectum <input type="checkbox"/> Pharynx <input type="checkbox"/> Vagina <input type="checkbox"/> Ocular <input type="checkbox"/> Other: _____			TREATMENT - ✓ all prescribed <input type="checkbox"/> Ceftriaxone <input type="checkbox"/> Azithromycin <input type="checkbox"/> Cefixime <input type="checkbox"/> Doxycycline <input type="checkbox"/> Other: _____ DATE RX: _____		
DATE TESTED: _____			RX GIVEN: _____		
DATE TESTED: _____			DATE RX: _____		
CHLAMYDIA TRACHOMATIS (lab confirmed)			HERPES SIMPLEX		
DIAGNOSIS - ✓ only one <input type="checkbox"/> Asymptomatic <input type="checkbox"/> Symptomatic-Uncomplicated <input type="checkbox"/> Pelvic Inflammatory Disease <input type="checkbox"/> Ophthalmia <input type="checkbox"/> Other Complications: _____			<input type="checkbox"/> Genital (initial infection only) <input type="checkbox"/> Neonatal Laboratory Confirmation <input type="checkbox"/> Yes <input type="checkbox"/> No		
SITE(S) - ✓ all that apply <input type="checkbox"/> Cervix <input type="checkbox"/> Urethra <input type="checkbox"/> Urine <input type="checkbox"/> Rectum <input type="checkbox"/> Pharynx <input type="checkbox"/> Vagina <input type="checkbox"/> Ocular <input type="checkbox"/> Other: _____			TREATMENT - ✓ all prescribed <input type="checkbox"/> Azithromycin <input type="checkbox"/> Erythromycin <input type="checkbox"/> Doxycycline <input type="checkbox"/> Ofloxacin <input type="checkbox"/> Levofloxacin <input type="checkbox"/> Other: _____ DATE RX: _____		
DATE TESTED: _____			DATE RX: _____		
DATE TESTED: _____			DATE RX: _____		
PARTNER MANAGEMENT PLAN ✓ Select method of ensuring partner treatment					
1. <input type="checkbox"/> Provider will ensure all partners are treated (FREE medications available). Indicate number to be treated (_____). 2. <input type="checkbox"/> All partners have been treated. Indicate number treated (_____). 3. <input type="checkbox"/> Health Department to assume responsibility for partner treatment (if resources permit).					
Partner Plan Instructions Over 					
REPORTING CLINIC INFORMATION					
DATE		FACILITY NAME		DIAGNOSING CLINICIAN	
ADDRESS		CITY	STATE	ZIP	
PERSON COMPLETING FORM		TELEPHONE		EMAIL	
		()			

Thank you for reporting an STD. All information will be managed with the strictest confidentiality.

PRIVILEGED AND CONFIDENTIAL COMMUNICATIONS: The information contained in this message is privileged, confidential, or otherwise exempt from disclosure and is intended solely for the use of the individual(s) named above. If you are not the intended recipient, you are hereby advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received this facsimile in error, please immediately notify the sender by telephone and destroy the original facsimile.

PARTNER MANAGEMENT PLAN INSTRUCTIONS

Gonorrhea or Chlamydial Infection: Partner Treatment

All partners should be treated as if they are infected.

If the provider takes responsibility to ensure partner treatment, the provider should examine and treat all patient's sex partners from the previous 60 days.

If this is **not** possible, patients should be offered medication to give to as many of their sex partners as they are able to contact and/or should be referred to Clark County Health Department for partner notification assistance.

Free medication is available for your patient's partner(s).

To obtain **FREE** medication for your patient's partner(s), call or fax a prescription to one of the pharmacies participating in your area.

For a **prescription FAX form** and list of participating pharmacies, call **Clark County Health Department: 360-397-8082.**

Note: Only participating pharmacies have stocks of **FREE Public Health medication** to dispense to patients for their partner(s).

Clark County Health Department may also provide free medication to your patient to give to his or her partner(s).

The Clark County Health Department recommends that you refer patients with any one or more of the following risks to the health department for help notifying their partners:

- Patient with 2 or more sex partners in the last 60 days, or
- Patient does not think he/she will have sex again with sex partners from the last 60 days, or
- Patient is unable/unwilling to contact one or more partner(s), or
- Patient is a man who has sex with other men

Although the Health Department requests that you refer patients with these risks to us, we also ask that you make every effort to help patients with these risks assure that their partners are treated, either by seeing the partners yourself or by offering patients free medication to give to their partners.

Complete the partner management plan on the Confidential Sexually Transmitted Disease Case Report FAX form to define a partner management plan.

For copies of this case report or questions on how to fill it out, call the Clark County Health Department: 360-397-8082.

Other STDs: Partner Treatment

All patients with infectious syphilis, chancroid, LGV or granuloma inguinale are routinely contacted by Clark County Health Department. Patients diagnosed with genital herpes should be advised to notify their sex partners and should be informed that their partners should contact their provider for testing.

RECOMMENDED REGIMENS FOR ANTIMICROBIALS LISTED ON CASE REPORTS*

Gonorrhea (uncomplicated):

Ceftriaxone.....250 mg IM as a single dose,

PLUS Azithromycin 1g PO as a single dose,
OR Doxycycline 100 mg PO BID for 7 days

Alternatives:

Cefixime400 mg PO as a single dose,

PLUS Azithromycin 1g PO as a single dose,
OR Doxycycline 100 mg PO BID for 7 days

OR

Azithromycin.....2g PO as a single dose

Fluoroquinolones (Levofloxacin or Ciprofloxacin, etc.) are no longer recommended for the treatment of gonorrhea due to increased prevalence of quinolone-resistant *Neisseria gonorrhoeae* (QRNG).

Chlamydia trachomatis (uncomplicated):

Azithromycin..... 1g PO as a single dose, **OR**

Doxycycline 100 mg PO BID for 7 days, **OR**

Alternatives:

Erythromycin (base) 500 mg PO QID for 7 days, **OR** (ethylsuccinate) 800 mg PO QID for 7 days, **OR**

Ofloxacin 300 mg PO BID for 7 days

Levofloxacin 500 mg PO for 7 days, **OR**

Syphilis (primary, secondary or early latent < 1 year)

Benzathine penicillin G 2.4 million units IM in a single dose

Syphilis (latent > 1 year, latent of unknown duration, tertiary [not neurosyphilis])

Benzathine penicillin G 2.4 million units IM for 3 doses at 1 week intervals

*Refer to "STD Diagnostic and Treatment Guidelines" or CDC website: www.cdc.gov/std/treatment for further information on treating pregnant patients, infections of the pharynx, treatment of infants and other details.

